

the next generation of care

Best possible pressure area care

The introduction of Stacked cell technology with newly designed compact cells deliver excellent pressure redistribution properties, with greater immersion and envelopment, reduced surface movement and greater independent user mobility.

No side rail height extensions needed

Squirrel has re-evaluated mattress design and construction, developing a new patented approach to achieve a 12.5cm ultra low profile mattress that ensures compliance with IEC 60601-2-52 without the need for side rail height extensions.

The Diamond has a removable "Zip-off" top cover manufactured from soft, two-way stretch, PU material with a protected full length zip, allowing easy inspection. The inner surface 10 stage comfort setting, visible alarms and alarm mute. There is also a "Panel Lock" to is a powder white colour so any leakage or strike through is clearly visible. The two-way prevent accidental changes to the settings.

stretch material ensures that pressure peaks The pump has two sets of hooks that allow due to "hammocking" are eliminated. it to be fitted to most bed types.

Hose set and CPR

The enclosed mattress hose set is fitted with a between users, improving infection control "Turn and Click" locking mechanism to prevent and reducing lifetime costs. accidental removal and a manually operated The tough water-proof, non-slip base encloses CPR with high visibility pull tag.









Removable cover The Diamond has a removable "Zip-off" top	Product Code	Standard DIA090200	Extra long DIA090220	Extra wide DIA120200
cover manufactured from soft, two-way stretch, PU material with a protected full length zip, allowing easy inspection. The inner surface is a powder white colour so any leakage or strike through is clearly visible. The two-way stretch material ensures that pressure peaks due to "hammocking" are eliminated.	Length	1980mm	2180mm	1980mm
	Width	880mm	880mm	1180mm
	Depth	125mm	125mm	125mm
	Total Number of cells	58	66	58
	Number Ventilated cells	19	11	19
	Number of Static cells at head	5	5	5
The "Zip-off" cover protects the upper surface of the mattress core and can be laundered between users, improving infection control and reducing lifetime costs.	Cell alternation pattern	1 in 2 with selectable 10, 15, 20 or 25 min cycle time		
	Sub-cell Foam	2.5cm Visco-Elastic base layer		
	Max. user weight	243kg	243kg	243kg
	Min. user weight	50kg	50kg	50kg
The tough water-proof, non-slip base encloses and protects the sides and underside of the core.	Mattress weight	9kg	10kg	12kg
	Pump weight	3.5kg	3.5kg	3.5kg
	CPR	Manual		
	Risk Factor	High to Very High		
	Warranty	2 years parts and labour		
	Pump Noise level	<30db at 1m		
	Mattress only code	DIA301	DIA306	DIA304





www.renrayhealthcare.com

Road Five, Winsford Industrial Estate, Winsford, Cheshire CW7 3RB Tel: +44 (0) 1606 593456 Fax: +44 (0) 1606 861354 Email: sales@renravhealthcare.com



squirrelmedical

The Diamond is an active mattress replacement system, providing the highest level of care and comfort.

Key features

- 12.5cm ultra-low profile, does not need side rail height extensions
- Stacked cell technology, giving the best possible pressure area care
- Whisper quiet pump for tranquil bedrooms

No side rails height extensions required IEC 60601-2-52: 2010

The current Medical bed standard revised many aspects of how medical beds are designed. One important aspect highlighted in the standard is that Side Rails should provide a minimum 22cm of protection above the mattress.

Most beds are designed to take a 125mm or 150mm deep foam mattress. Most active mattresses are much deeper and reduce the protection offered by the side rails.

At only 125mm the Diamond MRS is an ultra-low profile active system that ensures compliance with IEC 60601-2-52 without the need for side rail height extensions.




Side rails should provide a minimum 22cm of protection above the mattress

What is a safe pressure?

Pressure in different parts of the circulatory

The Diamond MRS with a depth of **12.5cm** system varies. The accepted threshold for pressure shows comparable pressure mapping to mapping is 32mmHg but pressures as low as **traditional deep cell mattresses.** In addition 12mmHq can cause problems and it is important it provides greater comfort, an improved to view performance over a broader range surface for therapy and greater independent of pressure thresholds.



Thresholds for testing Pressure is measured in Hq (Mercury).

The best possible pressure area care

user mobility. The Diamond "Stacked Cell Technology" with compact cells and integrated memory foam base-layer reduces shear and friction especially when the mattress is profiled. The compact cells provide better support and improved profiling compared to deep cell systems.


Diamond MRS -**Interface Pressure Mapping**

Tested with a 55kg/160cm female subject: 99% < 32mmHg

96% < 20mmHg

72% < 12mmHg





Diamond interface pressure map

mattress replacement system

Whisper quiet pump

users, affecting interaction with carers; reducing enjoyment from activities such as reading or watching television. More importantly this continuous background noise can result in disrupted sleep patterns and significant health issues.

(Below) Diamond Ultra-Low Profile

Active Mattress Replacement System

Noise generated by mattress pumps is intrusive and disturbing to

The "Whisper Quiet" pump reduces noise significantly and is effectively silent in use.

Falls Reduction

While the prevention of pressure ulcers is The Diamond MRS has 58 cells in two the primary function of active air mattresses, most have the non-intended consequence of increasing the probability of user falls.

This is due to a number of factors including the surface being too soft reducing user mobility, the mattress being too deep reducing the protection offered by the side rails and the "Water Fall Effect" at the side of the mattress when a user tries to exit the bed.

The Diamond with its ultra-Low profile and firmer surface improves user mobility both in bed and while egressing via a "Sit to Stand" repeated every 10 minutes, and can be procedure or Wheel Chair Transfer and ensures altered to 15, 20 or 25 minute intervals the side rails offer the required 22cm of protection; to suit each individual. reducing the risk of user falls from bed.

for genuine comfort and the high degree of cell movement can sometimes cause users to feel nauseous


The Diamond's ventilated Stacked-cell technology provides a cooling surface with minimal cell movement. This ensures that the user does not overheat and eliminates "Sea Sickness" often reported by users of other systems.

The Technology

independent layers. The lower cells provide a static, continuous level of support with a selectable 10 stage comfort range. This lower layer distributes load applied through the upper tier, reducing high pressure points, which can occur with some deep cell systems. The five cells at the head of the upper tier are static. The remaining upper cells have a "1 in 2" alternating sequence with each cell deflating then re-inflating before the next cell deflates. In normal operation this sequence is

The Diamond MRS pump has a timed out static mode and auto firm mode. Many alternating air mattresses are too soft "Static Mode" halts cell alternation and cells are inflated to the Comfort setting pressure. The "AutoFirm" mode halts alternation and inflates all cells to their maximum for lateral transfers or repositioning procedures. In both cases the mattress will return to its alternating mode automatically after a 20-minute delay.





Diamond stacked cell technology.



Conventional deep cell mattress.